


Fairlead Roller 导缆滚轮




NO.	A(mm)	B(mm)	C(mm)	D(mm)
R100	150	100	160	114
R150	220	150	240	170
R200	280	200	310	209


Chain Pipe 导链筒

Stainless steel AISI316, chain & line guide, with the cooperation of the windlasses and winches.


不锈钢 316 材质，装在甲板上用来导锚链或者绳索，和锚机或者绞车配合使用。




NO.	A(mm)	B(mm)	C(mm)	D(mm)	Chain Size 锚链尺寸	Rope Size 锚绳尺寸
K001	218	110	75	89	8-10mm	8-16mm



NO.	A(mm)	B(mm)	C(mm)	D(mm)	Chain Size(锚链尺寸)
K002	115	110	87	67	6-10mm




NO.	A(mm)	B(mm)	C(mm)	D(mm)	Chain Size(锚链尺寸)
K003	89	140	116	90	12.5-14mm
K004	100	160	170	140	16-17.5mm
K005	110	180	180	170	19-20.5mm




NO.	A(mm)	B(mm)	C(mm)	D(mm)	Chain Size(锚链尺寸)
K006	200	105	104	37.5	8-10mm



Fairleads 导缆孔





NO.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)	F(mm)
FL001	230	178	122	177	182	52





NO.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)	F(mm)
FL002	217	152	103	177	157	175




NO.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)	F(mm)
FL003	157	108	104	150	240	170



NO.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)	F(mm)
FL004	237	177	75	136	189	7



NO.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)	F(mm)	G(mm)
FL005	740	430	314	44	300	210	128



NO.	A(mm)	B(mm)	C(mm)
FL006	338.7	105	200