



Chain Stopper 链卡

Windlass are not designed to hold high loads while a boat is at anchor. When the windlass is not in use and the boat is at anchor, the chain should be secured using a chain stopper or the rope rode should be attached to a load-bearing point such as a cleat.


当锚机抛锚或者收锚完毕时就会停止工作，这时候应该用链卡来固定住锚已及锚链，或者用锚绳固定在羊角或者缆桩上。



型号 NO.	A(mm)	B(mm)	C(mm)	D(mm)	Chain size 锚链尺寸
YDCS001	98	59	64	15.5	6-8mm
YDCS002	116	78	80	20	10-12mm




型号 NO.	B(mm)	H(mm)	H(mm)	L(mm)	Chain size 锚链尺寸
YDCS003	96	190	52	290	12.5-14mm
YDCS004	116	240	69	330	16-17.5mm
YDCS005	132	285	86	425	19-20.5mm
YDCS022	152	330	100	490	22-24mm
YDCS026	171	385	115	575	26-28mm
YDCS030	195	440	129	660	30-32mm




型号 NO.	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)	Chain size 锚链尺寸
YDCS076A	145	105	20	120	69	10-13mm

CB 286-1984 闸刀掣链器




Chain size 锚链尺寸	A(mm)	B (mm)	H(mm)	L(mm)	Weight 重量
12.5-14mm	92	142	162	235	20
16-17.5mm	112	170	190	270	25
19-20.5mm	129	193	216	310	30
22-24mm	147	219	241	345	37
26-28mm	163	241	270	385	46
30-32mm	186	271	305	435	56
34-36mm	208	301	342	490	69
38-40mm	230	336	378	540	85
42-44mm	252	366	412	590	108
46-48mm	273	397	450	640	139
50-52mm	294	428	491	695	173
54-56mm	315	457	528	745	210
58-60mm	336	488	564	795	255
62-64mm	357	517	600	850	304
66-68mm	377	547	635	900	363




Chain size 锚链尺寸	A(mm)	B(mm)	D(mm)	H(mm)	h(mm)
12.5-14mm	180	118	100	154	80
16-17.5mm	215	144	122	182	90
19-20.5mm	250	165	140	202	100
22-24mm	295	182	162	230	112
26-28mm	340	210	190	265	125
30-32mm	385	235	218	300	140

CB/T 178-1996 螺旋掣链器





Chain size 锚链尺寸	A(mm)	B(mm)	D(mm)	H(mm)	h(mm)	Weight 重量
22-26mm	540	250	280	335	500	
28-32mm	650	320	310	400	550	
34-38mm	740	320	360	455	600	
40-44mm	845	400	420	515	670	
46-48mm	945	400	480	585	770	
52-58mm	1110	400	550	680	970	
60-66mm	1255	500	640	775	1000	

CB/T 4219 简易弃锚器



Chain size 锚链尺寸	L	L1	B	B1	B2	B3	H1	H2	H3	H4	R	T1	T2	T3	d	重量 kg
12.5-14	125	29	198	45	106	116	90	100	84	98	100	5	3	4	22	6.4
16-19	150	35	238	54	128	140	90	100	100	118	100	6	4	5	28	8.39
22-25	196	40	270	61	146	170	110	130	110	145	125	8	4	6	30	14.4
28-31	256	45	305	70	165	200	130	160	120	180	150	10	5	6	30	25.4
24-37	324	55	360	84	198	230	150	190	130	215	175	12	6	8	36	36.9

Chocks 导链器



NO.	A(mm)	B(mm)	C(mm)	D(mm)	Chain size 锚链尺寸
S00	216	78	88	83	8-12mm